# Some Applications Of Bandwidth Estimation

Andrew Odlyzko
http://www.dtc.umn.edu/~odlyzko

# A depressing litany of duds among major recent networking research initiatives:

- ATM
- RSVP
- Smart Markets
- Active Networks
- Multicasting
- Streaming Real Time Multimedia
- **♦** 3G

and (largely encompassing all of these): QoS

All technical successes, but failures in the marketplace

# **Telecom crash:**

Technology rose to the challenge posed by unrealistic business plans made in willful ignorance of reality


## From year-end 1997 to year-end 2001 (U.S. only)

- ◆ Long distance fiber deployment: fiber miles growth of 5x
- ◆ Transmission capacity: DWDM advances of 100x
- Cumulative fiber capacity growth of around 500x
- Actual demand growth: around 4x

#### Two fundamental mistakes:

- (i) assume astronomical rate of growth for Internet traffic
- (ii) extrapolate that rate to the entire network

# Bandwidth and growth rates of U.S. long distance networks, year-end 1997



### **Internet Growth Hype:**

"... bandwidth ... will be chronically scarce. Capacity actually creates demand in this business...bandwidth-centric names are good values at any price since nobody can predict the true demand caused by growth."

-- Jack Grubman, April 1988

"Over the past five years, Internet usage has doubled every three months."

-- Kevin Boyne, UUNET COO, Sept. 2000

"If you are not scared, you do not understand"

-- Mike O'Dell, UUNET Chief Scientist, May 2000

#### Blatant implausibilities in Internet bubble stories

Mike O'Dell, May 2000

http://stanford-online.stanford.edu/optic/main.html

Audio presentation: claimed consistent 10x annual growth

Slides: domestic UUNET network: growth only 7x

mid – 1997 5,281 OC12-miles


mid - 1998 38,485

mid - 1999 268,794

Extrapolating back to mid-1994 using 10x annual rate:



## SWITCH traffic and capacity across the Atlantic



# To assure health of the networking industry and research enterprise, need better information about:


- 1. Capacity
- 2. Traffic
- 3. Applications mix

The more information can be inferred from external observations, the more likely carriers will be to open up.

## Current effort at the Digital Technology Center:

- Collection and analysis of publicly accessible MRTG and RRD graphs
- "Reverse engineering" of graphs to get underlying data

#### Reverse engineering of TORIX graphs:



2003-12-04-18:02:38 xxxxx 600.0 2003-12-04-17:44:10 xxxxx 600.0 2003-12-04-17:25:43 519.0 xxxxx 2003-12-04-17:07:15 516.0 600.0 2003-12-04-16:48:47 525.0 528.0 2003-12-04-16:30:20 525.0 600.0 2003-12-04-16:11:52 534.0 549.0 2003-12-04-15:53:24 549.0 600.0 2003-12-04-15:34:56 555.0 558.0

#### **Conclusion:**

Indirect measurements of network capacity and utilization extremely desirable to build a healthy industry and research establishment.