MATH 1271 Fall 2013, Midterm #1 Handout date: Thursday 10 October 2013

PRINT YOUR NAME:

PRINT YOUR TA'S NAME:

WHAT RECITATION SECTION ARE YOU IN?

Closed book, closed notes, no calculators/PDAs; no reference materials of any kind. Turn off all handheld devices, including cell phones.

Show work; a correct answer, by itself, may be insufficient for credit. Arithmetic need not be simplified, unless the problem requests it.

I understand the above, and I understand that cheating has severe consequences, from a failing grade to expulsion.

SIGN YOUR NAME:

I. Multiple choice

A. (5 pts) (no partial credit) Which is the intuitive definition of $\lim_{x\to 8^+} (H(x)) = 4$? Circle one of the following answers:

- (a) If x is close to 8, but not equal to 8, then H(x) is close to 4, but not equal to 4.
- (b) If H(x) is close to 8, then x is close to 4.
- (c) If H(x) is close to 4, then x is close to 8, but greater than 8.
- (d) If x is close to 8, but greater than 8, then H(x) is close to 4.
- (e) NONE OF THE ABOVE

B. (5 pts) (no partial credit) Compute $[d/dx][(\sin x)(\cos x)]$. Circle one of the following answers:

- (a) $(\cos x)(\sin x)$
- (b) $(\cos x)(-\sin x)$
- (c) $(\cos^2 x) (\sin^2 x)$
- (d) $(\sin^2 x) (\cos^2 x)$
- (e) NONE OF THE ABOVE

C. (5 pts) (no partial credit) Compute $[d/dx][3x^4 + 2x^{1/2} - \pi]$. Circle one of the following answers:

(a)
$$4x^3 + x^{-1/2} - \pi$$

(b)
$$12x^3 + x^{-1/2} - \pi$$

(c)
$$12x^3 + x^{1/2} + \pi$$

(d)
$$3x^3 + x^{1/2} + \pi$$

(e) NONE OF THE ABOVE

D. (5 pts) (no partial credit) Compute $[d/dx][2e^x + 5e]$. Circle one of the following answers: (a) $2e^x + 5$

(c)
$$2xe^{x-1} + 5$$

- (d) $2xe^{x-1}$
- (e) NONE OF THE ABOVE

E. (5 pts) (no partial credit) What is the largest number x such that $|x+3| \le 0.002$? Circle one of the following answers:

- (a) 3
- (b) -2.998
- (c) 3.002
- (d) 2.998
- (e) NONE OF THE ABOVE

F. (5 pts) (no partial credit) Compute $\lim_{x\to 0} \left[\frac{x^5 + 2x^3 - 4x^2}{2x^4 - 7x^2} \right]$. Circle one of the following answers:

- (a) 4/7
- (b) -4/7
- (c) 1/2
- (d) -1/2
- (e) NONE OF THE ABOVE

II. True or false (no partial credit):

a. (5 pts) If f and g are continuous at 4, then f - g MUST be continuous at 4 as well.

b. (5 pts)
$$\frac{d}{dx} \left[\frac{\sin x}{x^2} \right] = \frac{\cos x}{2x}$$
.

c. (5 pts)
$$\lim_{x \to 4\pi} \frac{\sin x}{x} = 1$$
.

d. (5 pts) If two functions have the same derivative, then they must be equal.

e. (5 pts) If f is a polynomial of degree 7, then f'' is a polynomial of degree 5.

THE BOTTOM OF THIS PAGE IS FOR TOTALING SCORES PLEASE DO NOT WRITE BELOW THE LINE

VERSION A

I. A,B,C

I. D,E,F

II. a,b,c,d,e

III. 1

III. 2

III. 3

III. 4

III. Computations. Show work. Unless otherwise specified, answers must be exactly correct, but can be left in any form easily calculated on a standard calculator.

1. (10 pts) Compute

$$\frac{d}{dx} \left[\frac{(x^2 + 3x)(\sin x)}{1 + e^x} \right].$$

2. (15 pts) Compute $\lim_{n\to\infty} \left(1 + \frac{0.045}{n}\right)^n$.

3. (10 pts) Find all horizontal asymptotes to

$$y = \frac{\sqrt{9x^2 + 2x + 5}}{2x - 3}.$$

(NOTE: A horizontal asymptote is a line; your answers should be equations of lines, ${\bf NOT}$ numbers.)

4. (10 pts) Suppose f(0) = 2 and f'(0) = 3. Suppose g(0) = 4 and g'(0) = 5. Let h = fg. Compute h(0) and h'(0).