

# Mathematics of Image and Data Analysis

## Math 5467

### Introduction

Instructor: Jeff Calder  
Email: [jcalder@umn.edu](mailto:jcalder@umn.edu)

<http://www-users.math.umn.edu/~jwcalder/5467>

# Course Information

- Univeristy Covid Policy [Click Here](#).
  - Everyone must be vaccinated.
  - Wear a mask.
  - Stay home if sick or isolating due to an exposure.
- Class will be hybrid Zoom/In-person
  - Zoom link will be available via email/Google Calendar.
- Main course website: <http://www-users.math.umn.edu/~jwcalder/5467>
- Piazza for Q/A: <https://piazza.com/umn/spring2022/math5467>
- Office hours are TBD.
- 4 homework assignments and 3 projects.
- Take home exam over 2 days.

# Expectations for Hybrid Classes

- Attend in person if you are healthy and not isolating. Otherwise attend over Zoom.
- On Zoom, keep your video on and be attentive during class.
- Lectures will be interactive, and involve working together in groups in-person or within Zoom breakout rooms.
- Lectures will not be recorded, since students are expected to attend and engage.
- Ask questions and interact with your peers!

# Audio signals




Figure 1: Example of a stereo audio signal from a piece of classical music. The left figure shows both channels over the whole song, while the right figure shows a short clip.

# Audio signals

- CD audio has 44,100 samples per second (Hz), with 2 channels and 16 bits per sample

$$\underbrace{2}_{\text{Channels}} \times \underbrace{44,100}_{\text{Samples per Second}} \times \underbrace{16}_{\text{Bits per Sample}} = 1,411,200 \text{ bits/second.}$$

- In terms of kilobits (kbit), 1,411 kbit/sec.
- In terms of megabits (Mbit), 1.4 Mbit/sec.
- How many Mbits or MB of space would a 4 minute song take up?
  - 1 MB = 8 Mbit

# Audio signals

## Questions:

- How to compress audio without destroying sound quality?
- How to determine what is said in an audio sample? (or determine which song is playing)
- How to demix or remove noise?

# Images




Figure 2: Example of a grayscale digital image.

# Images

- Modern smartphone can have 12 million pixels (MP).
- For a color image this means storing 36 million numbers.
- With 8-bits per sample, this takes 36 MB of space.
- How much space would a color image from a 46 MP camera take up?




# Images

## Problems in image analysis:

- Compression
- Segmentation
- Inpainting
- Denoising, deblurring
- Classification
- Recognition

# Data analysis



MNIST dataset

# Data analysis

## Problems in data analysis:

- Classification
- Clustering
- Ranking
- Dimension reduction...

# Overview of course

- Data analysis
  - Principal component analysis (PCA)
  - k-means clustering
  - Spectral clustering
  - Google's PageRank
- Fourier Analysis
- Wavelet Analysis
- Variational methods
- Machine learning
  - Basic algorithms
  - Graph-based learning
  - Neural networks
  - Convolutional neural networks

# Python

- We will use Python for computational examples during class, and students will use Python on homework assignments and for projects.
- Course website has information for how to get access to Python.
- We will cover an introduction to Python in the first 2 weeks.
- To start today: [Introduction to Python](#)

# Linear algebra review

- Capital letters  $A, B, C$  for matrices (entries are  $A(i, j)$ )
- Lower case letters  $x, y, z, x_1, x_2, x_3, x_4, \dots$  for (column) vectors.
- $e_1, e_2, \dots, e_n$  are the standard basis vectors in  $\mathbb{R}^n$ .
- Matrix multiplication:  $A$  is  $m \times n$  and  $B$  is  $n \times p$  then  $C = AB$  is the  $m \times p$  matrix with entries

$$C(i, j) = \sum_{k=1}^n A(i, k)B(k, j).$$

- $A^T$  denotes the transpose of  $A$ .  $A^T(i, j) = A(j, i)$
- Dot product  $x^T y = \sum_{i=1}^n x(i)y(i)$ .
- Norm:  $\|x\| = \sqrt{x^T x} = \sqrt{x(1)^2 + x(2)^2 + \dots + x(n)^2}$ .
- Algebra:  $\|x \pm y\|^2 = \|x\|^2 \pm 2x^T y + \|y\|^2$ .

$$\hookrightarrow (x+y)^T(x+y)$$

# Rank-one matrix



For vectors  $x, y$  of length  $n$ , the rank-one matrix  $A = xy^T$  is the  $n \times n$  matrix with entries

$$A(i, j) = x(i)y(j).$$

It is called rank-one since the range of  $A$  is one dimensional and spanned by the vector  $x$ . Indeed,

$$Az = xy^T z = (y^T z)x$$

for any vector  $z$ .

# Exercise

Let  $x_1, x_2, x_3, \dots, x_m$  be a collection of vectors of length  $n$ . Define the  $m \times n$  matrix

$$X = [x_1 \quad x_2 \quad \cdots \quad x_m]^T = \begin{bmatrix} x_1^T \\ x_2^T \\ \vdots \\ x_m^T \end{bmatrix}.$$

Show that

$$\sum_{i=1}^m x_i x_i^T = X^T X.$$

$$X^T X v = [x_1 \quad x_2 \quad \cdots \quad x_m]$$

$m \times n$

$n \times 1$  vector

$$\begin{bmatrix} x_1^T \\ x_2^T \\ \vdots \\ x_m^T \end{bmatrix} v$$

$m \times 1$  vector

$$= [x_1 \quad x_2 \quad \cdots \quad x_m] \begin{bmatrix} x_1^T v \\ x_2^T v \\ \vdots \end{bmatrix}$$









