


Glacial Cycles Global Annual Average Insolation		
Solar output: $K \approx 4 \times 10^{26}$ Watts		
Solar intensity at distance r from the sun:		
$Q(t) = rac{K}{4\pi r(t)^2}$ Wm ⁻²		
Cross section of Earth: πr_E^2 m ²		
Global solar input: $rac{Kr_{k}^{2}}{4r\left(t ight)^{2}}$ W		
Total annual solar input (P = one year (in seconds)):		
$\int_{0}^{P} \frac{Kr_{E}^{2}}{4r\left(t\right)^{2}} dt = \frac{Kr_{E}^{2}}{4} \int_{0}^{P} \frac{dt}{r\left(t\right)^{2}} \text{Joules}$		
Mathematics of Climate 10/18/2022		



Glacial Cycles Global Annual Average Insolation		
Kepler's Third Law:		
	$P \sim a^{-3/2}$	a = semimajor axis
Derived from Kepler:		
	$1-e^2\sim a\Omega^2$	e = eccentricity
Mean annual solar inten <u>K</u> 8 <i>P</i> 4	sity: $ \Omega = \frac{\hat{K}a^{3/2}a^{1/2}}{\sqrt{1-e^2}} = \frac{\hat{K}a^2}{\sqrt{1-e^2}} $	$\overline{\frac{1}{2}}$ Wm ⁻²
MCRN		Mathematics of Climate 10/18/2022

